

Lab Biohazardous Spill Protocol for

Spill IN a BSC

| Immed | liate | Res | ponse |
|-------|-------|-----|-------|
|-------|-------|-----|-------|

1) STOP all work. Leave the blower ON. Consider alerting others. 2) If medical attention is needed, call 911 3) Remove contaminated PPE and place in biohazard container 4) If gloves are removed, clean hands thoroughly Clean Up 1) Put on clean PPE, if needed: ______ 2) Ensure drain valve is closed 3) Cover spill with absorbent material soaked in 4) Pour around spill. 5) As needed, flood drain pan through front grill with 6) Let stand for 7) Use tools (tongs, broom, dustpan) to pick up sharp hazards Place medical sharps in the sharps container Place decontaminated non-medical sharps in a cardboard box with 1-2 plastic liners 8) Place any contaminated materials into biohazard bag(s) 9) Clean beneath work surface Open drain valve and collect liquid in bucket Pour water into drain pan and also collect water Remove work surface, disinfect remaining area beneath work surface with followed by Reinstall work surface 10) Decontaminate PPE and contaminated clothing from Immediate Response #3 Eye protection and other reusable items with Disposables by 11) Decontaminate biohazard bag(s), disinfectant container, tools, and any contact surfaces with 12) Wipe down BSC surfaces with _____

Wrap Up

- 1) Remove and disinfect PPE worn during clean up, if contaminated
- 2) Clean hands thoroughly _____
- 3) Report Incident to PI